


## **SOCKS BOARDING**

STEAM BOARDING MACHINE FOR SOCKS WITH LONG FORMS GHIBLI ULTRA LONG 700





#### **TECNOPEA**



# SOCKS BOARDING GHIBLI ULTRA LONG 700

4 forms and 5" per cycle, drying with steam radiators = 120 dz/hr, high boarding quality and low energy consumption. Direct loading of products on boarding forms by 2 operators allows the processing of a very wide range of products and a very high productivity. GHIBLI ULTRA LONG 700 has a stripping device operating with belts and a programmable stacking system (optional) allowing the simultaneous stripping of 4 socks. 32 boarding forms with a quick release system for a very easy forms change. Machine operates 4 forms per cycle with a longer dwell time and a considerable quality improvement of products.

# SOCKS BOARDING GHIBLI ULTRA LONG 700

Specifications	Values
Dimensions	4.300 X 4.150 x 2.100 (h)
Air pressure	6 bar
Air consumption	7,5 m3/hr
Installed power	6,4 kW
Absorbed power	3,5 kW
Min. steam line pressure	6 bar
Max steam chamber pressure	3 bar
Steam consumption range	35 – 65 kg/hr
Min. cycle time	5 sec./2 pair
Max. productivity	1.440 pair/hr 120 Dz/hr


Features	
Touch-screen display for the machine setting with the possibility to store working recipes.	
Electronic self-diagnosis with errors or malfunctions visual messages.	
Pneumatic device for a quick forms replacement.	
Steam chamber with quick locking/unlocking system to allow a optimum treatment at the maximum operating speed.	
Drying tunnel with hot air circulation heated by steam radiators.	
Belts stripping device with stacking option.	




20° foot shape forms

#### **SOCKS BOARDING**

GHIBLI ULTRA LONG 700





## **TECNOPEA**



